

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	273	726/28.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 15:24
L2	330	726/6.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 15:24
L3	199	726/29.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 15:25
L4	622	726/5.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 15:25
L5	213	726/30.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 15:25
L6	132	726/18.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 15:25
L7	268	726/19.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 15:25
L8	574	713/185.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 15:25
L9	57	(credential same (secret adj5 (value or file)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 15:27

## EAST Search History

L10	4	(I1 or I2 or I3 or I4 or I5 or I6 or I7 or I8) and I9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 15:27
L11	206	(credential and (secret adj5 (value or file)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 15:27
L12	15	(I1 or I2 or I3 or I4 or I5 or I6 or I7 or I8) and I11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 15:27

[Web](#) [Images](#) [Video](#) <sup>New!</sup> [News](#) [Maps](#) [more »](#)

credential, secret value "client security" "local

[Search](#)[Advanced Search](#)  
[Preferences](#)**Web** Results 1 - 10 of about 45 for **credential, secret value "client security" "local security authority"**. (0.6

### Windows 2000 Kerberos Authentication

When the server receives **credentials** from a client, it decrypts the session ticket with its **secret** key, extracts the session key, and uses the session key ...

[www.microsoft.com/technet/prodtechnol/windows2000serv/deploy/confeat/kerberos.mspx](http://www.microsoft.com/technet/prodtechnol/windows2000serv/deploy/confeat/kerberos.mspx) -

128k - Sep 10, 2006 - [Cached](#) - [Similar pages](#)

### Windows 2000 Security in an E-Commerce DNA Environment

The **Local Security Authority** (LSA) handles user logon and authentication on the local ...

When running in the **client's security** context, the server "is" the ...

[www.microsoft.com/technet/archive/itsolutions/ecommerce/maintain/operate/sececomm.mspx](http://www.microsoft.com/technet/archive/itsolutions/ecommerce/maintain/operate/sececomm.mspx) -

123k - [Cached](#) - [Similar pages](#)

### Windows Server Deployment Solution Accelerator Security Guide

The Enterprise **Client security** settings have been selected for the Contoso ... can be obtained through dumping **Local Security Authority (LSA) secrets**. ...

[www.microsoft.com/technet/itsolutions/cits/dsd/wsrvcdep/wsrvc05.mspx](http://www.microsoft.com/technet/itsolutions/cits/dsd/wsrvcdep/wsrvc05.mspx) -

[Cached](#) - [Similar pages](#)

### Windows NT Server: Designing and Planning Windows NT External Security

Once testing is completed, SP4 will be a must for MCS **client security**. ... user ID and a password challenge to the **Local Security authority** for validation. ...

[www.microsoft.com/technet/archive/winntas/maintain/ntextsec.mspx](http://www.microsoft.com/technet/archive/winntas/maintain/ntextsec.mspx) -

[Cached](#) - [Similar pages](#)

[PDF] [acceptance of risk, 15–16 AcceptSecurityContext, 331 access checks ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

**credentials**. See also authentication. daemon logons and, 137–138 ... **Local Security Authority (LSA)**, 59. granting/revoking privileges via, 111–113 ...

[www.awprofessional.com/content/images/0321228359/index/brown\\_index.pdf](http://www.awprofessional.com/content/images/0321228359/index/brown_index.pdf) -

[Similar pages](#)

[PDF] [551 Symbols A](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

(**client security**. tweaks), 377–378. LM hash, 308–313. 335–336. load balancing, 99. local groups, 493. **Local Security Authority (LSA) Secrets**, ...

[www.awprofessional.com/content/images/0321336437/index/johansson\\_index.pdf](http://www.awprofessional.com/content/images/0321336437/index/johansson_index.pdf) -

[Similar pages](#)

### Windows 2000 Kerberos Authentication

When the server receives **credentials** from a client, it decrypts the session ticket with its **secret** key, extracts the session key, and uses the session key ...

[microsoft.com/windows2000/techinfo/howitworks/security/kerberos.asp](http://microsoft.com/windows2000/techinfo/howitworks/security/kerberos.asp) -

[Cached](#) - [Similar pages](#)

[PDF] [COPYRIGHTED MATERIAL](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

LSA (**Local Security Authority**) program, 118, 159. LSA **secrets**, 178. Lsdump2 program, 178 ... Microsoft network **client, security** options for, 506–508 ...

[media.wiley.com/product\\_data/excerpt/09/07645999/0764599909-2.pdf](http://media.wiley.com/product_data/excerpt/09/07645999/0764599909-2.pdf) - [Similar pages](#)

[PDF] [COPYRIGHTED MATERIAL](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

**local security authority** subsystem (LSASS), 88 ... Override connection **credentials** for

Exchange 5.x. option, 702. Override page, 710 ...

media.wiley.com/product\_data/excerpt/75/07821279/0782127975-2.pdf - [Similar pages](#)

### Implementing Message Layer Security with Kerberos in WSE 3.0 ...

The client provides the **credentials** for authentication during the request to ... After you complete the procedure, your **client security** policy cache should ...

msdn.microsoft.com/library/en-us/dnpag2/html/WSS\_Ch3\_ImpMLSKerb\_WSE30.asp?frame=true - 57k - [Cached](#) - [Similar pages](#)

Goooooogle ►

Result Page:    1   2   3   4   5    [Next](#)

Free! Speed up the web. [Download the Google Web Accelerator.](#)

---

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

---

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google


[Web](#) [Images](#) [Video](#) <sup>New!</sup> [News](#) [Maps](#) [more »](#)
 credential, secret value "client security" "local :
[Advanced Search](#)  
[Preferences](#)

**Web Results 11 - 20** of about **45** for **credential, secret value "client security" "local security authority"**. (0.

### Implementing Message Layer Security with Kerberos in WSE 3.0 (PAG ...

The client provides the **credentials** for authentication during the request to the ... in the **Local Security Authority** (LSA) to initialize a security context. ...

msdn.microsoft.com/library/en-us/dnpag2/html/wss\_ch3\_impmlskerb\_wse30.asp?frame=true - 57k - [Cached](#) - [Similar pages](#)

### [PDF] Web Service Security

File Format: PDF/Adobe Acrobat

typically created with a hash of the shared **secret** and a salt **value**. ... Support Provider Interface (SSPI) implementation in the **Local Security Authority** ...

www.willydev.net/descargas/PartnerAndPractices/WillyDev\_MS\_WSS\_Dec\_05.pdf - [Similar pages](#)

### Client security for networked applications - Patent 6775783

identifying the **credential** to which the random **secret value** corresponds by using the **local security authority** to correlate a characteristic of the random ...

www.freepatentsonline.com/6775783.html - 68k - Supplemental Result - [Cached](#) - [Similar pages](#)

### Index from MCSA/MCSE Self-Paced Training Kit: Implementing and ...

**secret** key encryption, 77-78, 178-79, 192, 193, 320-28 knowledge workers ... **Local Security Authority** (LSA) defined, 64 glossary definition, 629 ...

www.microsoft.com/mspress/books/index/6431.asp - 111k - [Cached](#) - [Similar pages](#)

### - Magazine Archive

Using @@IDENTITY to Return the **Value** of an Identity Column I thought you needed to use stored ... Microsoft Preps Managed **Client Security** for Corporations ...

emea.windowsitpro.com/Windows/issues/issueID/251/251.html - [Similar pages](#)

### [PDF] GDS 1102

File Format: PDF/Adobe Acrobat - [View as HTML](#)

authenticates the user, it ignores the security **credentials** of. the computer. ... and collects information on **client security**, such as the status ...

www.marathon-int.com/pdfs/nl\_0604.pdf - [Similar pages](#)

### Win32-, DOS and OS/2-Errors ===== Creator ...

error codes error numbers codes errors Windows result **values** return codes ... 567 1383

INTERNAL\_DB\_ERROR: The **local security authority** database contains an ...

megos.ch/support/doserrors\_e.txt - 385k - [Cached](#) - [Similar pages](#)

### Visual Studio C/C++ Header,Include Files

The **value** provided as the current // password is incorrect. ... MessageBox: // // The **local security authority** database contains an internal inconsistency. ...

doc.ddart.net/msdn/header/include/winerror.h.html - 512k - [Cached](#) - [Similar pages](#)

### How the Kerberos Version 5 Authentication Protocol Works

Even though Service B has the user's **credentials**, it does not have information about the user's password, cannot calculate the **secret** key, and thus cannot ...

technet2.microsoft.com/WindowsServer/en/library/4a1daa3e-b45c-44ea-a0b6-fe8910f92f281033.mspx - 231k - [Cached](#) - [Similar pages](#)

### [PDF] FINAL EVALUATION REPORT Microsoft Corporation Windows NT ...

File Format: PDF/Adobe Acrobat

http://www.google.com/search?q=credential,+secret+value+%22client+security%22+%22loc... 9/12/06

The **Local Security Authority** manages the Policy object, Trusted Domain objects, Account objects, and **Secret** objects. There is only a single instance of the ...  
[www.radium.ncsc.mil/tpep/library/fers/TTAP-CSC-FER-99-001.pdf](http://www.radium.ncsc.mil/tpep/library/fers/TTAP-CSC-FER-99-001.pdf) - [Similar pages](#)



Result Page: **Previous** [1](#) [2](#) [3](#) [4](#) [5](#) **Next**

---

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

---

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Web](#) [Images](#) [Video](#) <sup>New!</sup> [News](#) [Maps](#) [more »](#)

credential, secret value "client security" "local

[Advanced Search](#)  
[Preferences](#)**Web** Results 21 - 30 of about 45 for **credential, secret value "client security" "local security authority"**. (0.:

### - Magazine Archive

Using @@IDENTITY to Return the **Value** of an Identity Column I thought you needed to use stored ... Microsoft Preps Managed **Client Security** for Corporations ...  
windowsitpro.com/Windows/issues/issueID/251/251.html - [Similar pages](#)

### CVE Common Vulnerabilities and Exposures Year 2004 : Cryptography ...

ShellClassInfo specifier with a CLSID **value** that is associated with an ... F-Secure Anti-Virus 5.41 and 5.42 on Windows, **Client Security** 5.50 and 5.52, ...  
www.xramp.com/resources/cve/year/2004/ - [Similar pages](#)

### pinvoke.net: WINERROR (Constants)

The **local security authority** database contains an internal inconsistency. ... The network connection was made successfully using default **credentials**. ...  
www.pinvoke.net/default.aspx/Constants/WINERROR.html - [Similar pages](#)

### Unknown vulnerability in the eflags checking in the 32-bit ptrace ...

Multiple Kerio Products Universal **Secret** Key Storage Vulnerability [CAN-2004-1022]  
Insecure **Credential** Storage on Kerio Software ...  
nvd.nist.gov/download/nvdcve-2004.xml - [Similar pages](#)

### From isn at c4i.org Mon May 3 03:18:42 2004 From: isn at c4i.org ...

The task force is a joint effort of the FBI, the US **Secret** Service and local law ... system called the **Local Security Authority** Subsystem Service, or LSASS. ...  
www.attribution.org/pipermail/isn/2004-May.txt - 519k - [Cached](#) - [Similar pages](#)

### From isn at c4i.org Thu Sep 1 05:16:19 2005 From: isn at c4i.org ...

[SA16562] Symantec AntiVirus Corporate Edition / **Client Security** Privilege ... Consortium officials said the new **credential** is timely because all federal ...  
www.attribution.org/pipermail/isn/2005-September.txt - 742k - [Cached](#) - [Similar pages](#)

### CVE (version 20040901)

A legacy **credential** caching mechanism used in Windows 95 and Windows 98 systems ...  
Denial of service in Windows NT **Local Security Authority** (LSA) through a ...  
cve.mitre.org/cve/downloads/allcves.html - [Similar pages](#)

### "CVE Version 20040901" "Name", "Status", "Description", "References ...

WebServers | XF:nt-web8.3" CVE-1999-0013,Entry,"Stolen **credentials** from SSH clients via ... NTBUGTRAQ:20010802 Identix BioLogon **Client security** bug ...  
cve.mitre.org/cve/downloads/allcves.csv - 977k - [Cached](#) - [Similar pages](#)

### CVE-1999-0002 Buffer overflow in NFS mountd gives root access to ...

WebServers nt-web8.3 CVE-1999-0013 Stolen **credentials** from SSH clients via ... 873  
CVE-1999-0995 Windows NT **Local Security Authority** (LSA) allows remote ...  
www.opensec.org/cve/full-cve.xml - [Similar pages](#)

### Unknown vulnerability in the eflags checking in the 32-bit ptrace ...

Multiple Kerio Products Universal **Secret** Key Storage Vulnerability [CAN-2004-1022]  
Insecure **Credential** Storage on Kerio Software ...  
https://nvd.nist.gov/download/nvdcve-2004.xml - [Similar pages](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [Next](#)

---

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

---

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google



[Web](#) [Images](#) [Video](#) <sup>New!</sup> [News](#) [Maps](#) [more »](#)

credential, secret value "client security" "local

[Advanced Search](#)  
[Preferences](#)**Web** Results 31 - 40 of about 45 for **credential, secret value "client security" "local security authority"**. (0.[cve\\_schema.xsd 0.1 CAN CVE-1999-0001 1999-0001 Candidate 20051217 ...](#)[MS MS99-010 XF pws-file-access OSVDB 111 CVE CVE-1999-0387 1999-0387 Entry A legacy \*\*credential\*\* caching mechanism used in Windows 95 and Windows 98 systems ...](#)  
[cve.mitre.org/cve/downloads/allitems.xml](#) - [Similar pages](#)[CVE-1999-0002 Buffer overflow in NFS mountd gives root access to ...](#)[WebServers nt-web8.3 CVE-1999-0013 Stolen \*\*credentials\*\* from SSH clients via ... 873 CVE-1999-0995 Windows NT \*\*Local Security Authority\*\* \(LSA\) allows remote ...](#)  
[www.opensec.org/cve/full-cve-3.xml](#) - [Similar pages](#)[CVE-1999-0002 Buffer overflow in NFS mountd gives root access to ...](#)[WebServers, XF:nt-web8.3 CVE-1999-0013 Stolen \*\*credentials\*\* from SSH clients via ssh-agent program, ... NTBUGTRAQ:20010802 Identix BioLogon \*\*Client security\*\* bug ...](#)  
[www.opensec.org/cve/full-cve-1.xml](#) - [Similar pages](#)[CVE-1999-0002 Buffer overflow in NFS mountd gives root access to ...](#)[WebServers XF:nt-web8.3 CVE-1999-0013 Stolen \*\*credentials\*\* from SSH clients via ... Windows NT \*\*Local Security Authority\*\* \(LSA\) through a malformed LSA request. ...](#)  
[www.opensec.org/cve/full-cve-2.xml](#) - [Similar pages](#)[1999-0001 Denial of service in BSD-derived TCP/IP implementations ...](#)[MS99-010 pws-file-access 1999-0387 A legacy \*\*credential\*\* caching mechanism used ... MS99-056 Q248183 873 1999-0995 Windows NT \*\*Local Security Authority\*\* \(LSA\) ...](#)  
[www.opensec.org/cve/full-both.xml](#) - [Similar pages](#)[Message, Event Log, Event ID, Event Source, Event Type The operation ...](#)[File Format: Unrecognized - \[View as HTML\]\(#\)](#)[The length of a \*\*secret\*\* exceeds the maximum length allowed. \n, Security, 1382, Security, Error. The \*\*local security authority\*\* database contains an internal ...](#)  
[www.microsoft.com/korea/windows2000/techinfo/messages/Windows2000Events.csv](#) - [Similar pages](#)[\[PDF\] INFOSEC YEAR IN REVIEW 2004](#)[File Format: PDF/Adobe Acrobat](#)[that a job candidate's \*\*credentials\*\* are valid. Some candidates are even paying ... to trigger a buffer overrun vulnerability in the \*\*Local Security Authority\*\* ...](#)  
[www2.norwich.edu/mkabay/iyir/2004.pdf](#) - [Similar pages](#)[Phuture Networks- E-commerce Consulting - Home](#)[Restrict access to \*\*Local Security Authority\*\* only to admin. ... \*\*Credential\*\* Manager allows secure storage for usernames and passwords as well as certificates. ...](#)  
[www.phuturenetworks.com/](#) - 57k - [Cached](#) - [Similar pages](#)[WebSVN - secure-testing - Rev 2464 - /data/CVE/list](#)[NOT-FOR-US: Soldner \*\*Secret\*\* CVE-2005-0279 \(Soldner \*\*Secret\*\* Wars 30830 and earlier ... \(LSASS \(\*\*Local Security Authority\*\* Subsystem Service\) of Windows 2000 . ...](#)  
[svn.debian.org/wsvn/secure-testing/data/CVE/list?op=file&rev=2464&sc=1](#) - [Similar pages](#)[CVE \(version 20040901\)](#)[A legacy \*\*credential\*\* caching mechanism used in Windows 95 and Windows 98 systems ... Denial of service in Windows NT \*\*Local Security Authority\*\* \(LSA\) through a ...](#)<http://www.google.com/search?q=credential,+secret+value+%22client+security%22+%22loc...> 9/12/06

cve.mitre.org. /cve/downloads/full-cve.html - [Similar pages](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [Next](#)

---

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

---

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google



[Web](#) [Images](#) [Video](#)<sup>New!</sup> [News](#) [Maps](#) [more »](#)

credential, secret value "client security" "local

[Advanced Search](#)  
[Preferences](#)

---

**Web** Results **41 - 45** of **45** for **credential, secret value "client security" "local security authority"**. (0.09 sec

- Magazine Archive

Microsoft Preps Managed **Client Security** for Corporations Microsoft Client Protection will ... WS-License Associates Security **Credentials** with SOAP Messages ...  
www.windowsitpro.com/Windows/issues/issueID/251/251.html - [Similar pages](#)

E-commerce Solutions

Restrict access to **Local Security Authority** only to admin. ... **Credential Manager** allows secure storage for usernames and passwords as well as certificates. ...  
www.ecommercewiz.com/ - 57k - [Cached](#) - [Similar pages](#)

[Secure-testing-commits] r2461 - in data: CAN CVE

NOT-FOR-US: Soldner **Secret** -CAN-2005-0278 (The FTP service in 3Com 3CDaemon 2.0 ... (LSASS (**Local Security Authority** Subsystem Service) of Windows 2000 . ...  
lists.alieth.debian.org/pipermail/secure-testing-commits/2005-October/002402.html - [Similar pages](#)

[Secure-testing-commits] r2142 - data/CAN

NOTE: not-for-us (Soldner **Secret**) + NOT-FOR-US: Soldner **Secret** CAN-2005-0280 ... (LSASS (**Local Security Authority** Subsystem Service) of Windows 2000 . ...  
lists.alieth.debian.org/pipermail/secure-testing-commits/2005-September/002081.html - 922k - [Cached](#) - [Similar pages](#)

Her türlü bilgi - :: PC TekniK Forum ::

1382 The length of a **secret** exceeds the maximum length allowed. 1383 The **local security authority** database contains an internal inconsistency. ...  
pcteknik.net/showthread.php?t=5219 - 450k - [Cached](#) - [Similar pages](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#)

---

credential, secret value "client secur

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

---

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google